

One life
One health
No experiments.



Healthier, fitter
and more productive
by innovative
workplace concept



Handling units to make work easier



„Proper posture is everything.“

„No two people are alike.
Different body sizes require work tables
that are adjustable to people.

This is particularly the case in production
and assembly, where large weights must be
moved.

Physical damage is often unavoidable
otherwise, often even at a young age.“



„I'll never let go of my raising table again!“

„Since the new height-adjustable table
was added to my workplace, work has been
even more fun.

The height-adjustment works quickly and
simply and puts the workpiece precisely at
the right level.

Our works management had a really good
idea there.“



„Less illness and total motivation.“

„The investment has paid off.
Since we introduced the new Beck work
tables, I love watching people during
assembly. You can tell they enjoy their
jobs.

As an entrepreneur, I prefer employees who
come to work in the morning, instead of
going to see an orthopaedist.“



Scissor lifting tables load capacity up to 300 kg



Niveau HS 300-Standard FH

without worktop

• Base frame	970 x 590 mm
• Load capacity	300 kg
• Effective stroke	610 mm
• Height	400 mm
• Overall height	1010 mm
• Powder-coated	RAL 5021 aqua blue

Art.-no. 190.020

€ 1114.-



FH
Foot-Hydraulics



Niveau HS 300-Standard AH

with sheet metal plate

• Worktop	1000 x 600 mm
• Load capacity	300 kg
• Effective stroke	610 mm
• Height	440 mm
• Overall height	1050 mm
• Powder-coated	RAL 7035 light-grey 7042 silver-grey

Art.-no. 190.150

€ 2637.-

Radio control

Art.-no. 190.151

€ 390.-



BH
Battery-powered hydraulics



Niveau HS 100

Aluminium light-weight construction
assembly table

• Worktop	590 x 560 mm
• Load capacity	100 kg
• Effective stroke	360 mm
• Height	95 mm
• Overall height	455 mm
• Weight	14 kg
• Height adjustment	with cordless screw-driver

Art.-no. 190.050

€ 648.-

All prices plus VAT, ex works


Scissor lifting tables 300 kg load capacity

Niveau HS 300-midi FH

without worktop

- Base Frame 1200 x 740 mm
 - Load capacity 300 kg
 - Effective stroke 610 mm
 - Height 400 mm
 - Overall height 1010 mm
 - Powder coated RAL 5021 aqua blue
- Art-no. 190.200

€ 1630.-



Beech multiplex worktop

- Base frame 1600x790x30 mm

Art-no. 210.305

€ 206.-

Beech-multiplex eyelet board

- Worktop 1600x790x30 mm

Art-no. 210.315

€ 239.-



Metal sheet plate

- Worktop 1210 x 750 mm

Art-no. 210.316

€ 142.-


Niveau HS 300-midi

in combination with platform swivel unit Schwenkmax

Art-no. 190.200+190.300

€ 3053.-





Niveau HS 300-plus FH

without worktop

- Base Frame 1900 x 740 mm
- Load capacity 300 kg
- Effective stroke 610 mm
- Height 400 mm
- Overall height 1010 mm
- Powder coated RAL 5021 aqua blue

Art-no. 191.100

€ 1984.-




Beech multiplex worktop

- Worktop 2000x1000x30 mm

Art-no. 200.200

€ 239.-



Beech-multiplex eyelet board

- Worktop 2000x1000x30 mm

Art-no. 200.201

€ 375.-



FH
Foot-Hydraulics



Niveau HS 300-plus AH

Beech-multiplex eyelet board

in combination with hydraulic unit with battery and charger integrated into the worktop

- Worktop 2000x1000x30 mm
- Load capacity 300 kg
- Effective stroke 610 mm
- Height 440 mm
- Overall height 1050 mm
- Powder coated 7016 anthracite 2003 pastel orange

Art-no. 190.102+200.349

€ 3782.-



BH
Battery-powered Hydraulics

Scissor lifting tables 300 / 600 kg load capacity

Niveau HS 300-plus FH

Beech-multiplex eyelet board

with a vacuum clamping unit with 1 suction gripper, Ø 100 mm and 1 suction gripper, oval, 300 x 100 mm. Vacuum pump integrated into worktop, incl. movable pedal switch.

- Worktop 2000x1150x30 mm
- Load capacity 300 kg
- Effective stroke 610 mm
- Height 560 mm
- Overall height 1170 mm
- Powder coated RAL 7035 light grey
5000 violet blue

Art-no. 191.100

€ 4965.-

Extension system on one side with perforated plate, beech multiplex

- Worktop 200 x 1150 mm
- Extension 820 mm

Art-no. 200.202.5

€ 540.-



FH
Foot-Hydraulics

Niveau HS 600 AH

Beech multiplex worktop

Hydraulic unit with battery and charger integrated into the worktop

- Worktop 2000x1000x30 mm
- Load capacity 600 kg
- Effective stroke 610 mm
- Height 430 mm
- Overall height 1040 mm
- Powder coated RAL 5010 gentian blue

Art-no. 193.101

€ 4092.-

2 stainless steel panel segments for temporary application


- Worktop 1000 x 1000 mm

Art-no. 200.113

€ 758.-



BH
Battery-powered Hydraulics



Side wall lifting tables 500 kg load capacity



Ergoplan EP1

Working and assembling table

Planing panel, heavy design
raster bores Ø 30 mm in worktop front with
rear and front pliers

- Worktop 1700x640x120 mm
- Load capacity 500 kg
- Effective stroke 300 mm
- Height 780 mm
- Overall height 1080 mm
- Powder coated RAL 9002grey white

Art-no. 211.100

€ 4213.-



FH
Foot-Hydraulics

SUPPORTER AM 500 FH

Beech multiplex worktop

with steel sheet shelf board without tool cabinet

- Worktop 1600x790x30 mm
- Load capacity 500 kg
- Effective stroke 300 mm
- Height 700 mm
- Overall height 1000 mm
- Powder coated RAL 7035 light grey 5000 violet blue

Art-no. 210.110+210.320

€ 2176.-



FH
Foot-Hydraulics

Fitted tool cabinet with 6 drawers

Art-no. 210.620

€ 1237.-

Side wall lifting tables 400 kg load capacity

SUPPORTER AM 400 ESA


electrical height adjustment

in combination with steel sheet shelf board and beech multiplex eyelet board, height adjustable with hand buttons.

- Worktop 1600x800x30 mm
- Load capacity 400 kg
- Effective stroke 300 mm
- Height 700 mm
- Overall height 1000 mm
- Powder coated RAL 7035 light grey 5000 violet blue

Art-no. 212.200+212.320
+200.310

€ 2402.-



Options

SUPPORTER AM 400 ESA and SUPPORTER AM 500 ESA

Side stop rails

can be lowered by 90°, 30 mm high, height-adjustable, long side 1550 mm, narrow side 770 mm long

Art-no. 200.312

€ 665.-



Vacuum Box, portable

electrical vacuum pump 3.0 m/h, 2 connection couplings

Art-no. 210.340-1A

€ 855.-



Shelf, foldable

445 x 390 mm

Art-no. 210.321

€ 389.-



Side wall lifting tables 500 kg load capacity



SUPPORTER AM 500 ESA

electrical height adjustment

in combination with steel sheet shelf board and HPL-eyelet board, height adjustable with hand buttons.

- Worktop 1600x800x30 mm
- Load capacity 500 kg
- Effective stroke 300 mm
- Height 700 mm
- Overall height 1000 mm
- Powder coated RAL 7035 light grey
5000 violet blue

Art-no. 212.110+210.320
+ 200.311

€ 3290.-

Options

SUPPORTER AM 400 ESA

and

SUPPORTER AM 500 ESA



Vertical support, left/right
adjustable in a 50 mm hole grid system

Art-no. 210.330


€ 214.-

Power strip

3 x protective ground socket 230 V, 4 x compressed air, supply line 2 m

Art-no. 200.407

€ 387.-



Anti-slip support rail

1200 mm long, 2 bolts for eyelet board

Art-no. 210.330

€ 186.-

All prices plus VAT, ex works

Side wall lifting table 500 kg load capacity

SUPPORTER AM 500 FH

3 D welder worktop

Grid bores Ø 28 mm, perforation grid 100 mm,
grid lines 100 x 100mm, for different clamping/
fastening elements

- Worktop 1400x900x25 mm
- Load capacity 500 kg
- Effective stroke 300 mm
- Height 700 mm
- Overall height 1000 mm
- Powder coated RAL 7016 anthracite
7042 silver grey

Art-no. 210.100+210.320 +210.650

€ 2964.-

Vice 180°

with socket and spindle

Art-no. D28-6721

€ 62.-

Stop and clamping angle

275 x 175 mm

Art-no. D28-2800

€ 84.-

Clamping bolt, short with 5 balls

Art-no. D28 - 5101-10

€ 49.-

Universal stop, large

Art-no. D28 -4100

€ 35.-

Universal stop,small

Art-no. D28 -4200

€ 19.-

Hand hydraulics pressing unit


Art-no. B0043D

€ 629.-


Ball socket screw SW 14

Art-no. D 28-9250

€ 9.-




FH
Foot-Hydraulics



Single scissor lifting tables TL

Load capacity up to 10000 kg



TA 2000 horizontal

electrohydraulic

- Base frame 2000 x 1200 mm
- Load capacity 2000 kg
- Effective stroke 1400 mm
- Height 250 mm
- Overall height 1650 mm
- Powder coated RAL 5015 sky blue 2003 pastel orange

Art-no. TA 2000

€ 5567.-



TUB 1000 super flat

electrohydraulic

- Base frame 1450 x 1085 mm
- Load capacity 1000 kg
- Effective stroke 715 mm
- Height 85 mm
- Overall height 800 mm
- Powder coated RAL 5015 sky blue 2003 pastel orange

Art-no. TUB 1000

€ 3920.-

Double scissor lifting tables TL

Load capacity up to
10.000 kg

TBH 2000 Double scissor horizontal

electrohydraulic

- Worktop 3000 x 800 mm
- Load capacity 2000 kg
- Effective stroke 1000 mm
- Height 210 mm
- Overall height 1210 mm
- Powder coated RAL 5015 sky blue 2003 pastel orange

Art-no. TBH 2000

€ 5465.-



TMD 1000 Double scissor vertical

electrohydraulic

- Worktop 1700 x 900 mm
- Load capacity 1000 kg
- Effective stroke 2150 mm
- Height 400 mm
- Overall height 2550 mm
- Powder coated RAL 5015 sky blue 2003 pastel orange

Art-no. TMD 1000

€ 6286.-



TSL 9000

Pallet lift electrohydraulic

for Euro pallets

- Worktop 1200 x 850 mm
- Load capacity 1000 kg
- Height 85 mm
- Effective stroke 900 mm
- Powder coated RAL 5015 sky blue
2003 pastel orange

Art-no. TSL 9000

from € 3845.-



TEAMER

various holding options;
special construction
to customer's wish

- Load capacity 80 - 240 kg
- Height 100 mm
- Effective stroke 1500 - 2000 mm
- Powder coated RAL 7035 light grey

from € 3210.-



KUNO

Transport and staged cart

- Worktop 1070 x 750 mm
- Load capacity 300 kg
- Height of the worktop 800 mm
- Castors 4 x 100 mm Ø
- Powder coated RAL 7035 light grey

Art.-no. KU010

€ 429.-



The worktop can be folded into the basic frame easily.
KUNO can be stacked to save space.



Devices to make work
easier in practice.



NIVEAU HS 300-plus



Lifting table TL



TL - Single scissor



TL - Double scissor

TL - single scissor with horizontal conveyor



ErgoPlan



TEAMER

SUPPORTER



TL - super flat



SUPPORTER



Swiv
Worktop swivel device at
edge glue machine





Visit our exhibition in Sigmaringen.

Come to Anton-Günther-Str 3-7 to look at all the important lifting tables and working tools on an exhibition area of 600 sqm - and try them out right away.

Experts for ergonomic work know what they must observe and what solutions are sensible for different applications. They will gladly give individual advice.



Reinhold Beck
Maschinenbau GmbH
Im Grund 23
D-72505 Krauchenwies
Phone +49 7576 962978-0
Fax +49 7576 962978-90
info@beck-maschinenbau.de

www.beck-maschinenbau.de
www.ergonomischer-arbeitstisch.de

Your dealer:

